

**Entity Description:** This entity represents the table of full detail information which characterize an Organ

Procurement and Transplantation, Organ Transplantation Center (OTC).

#### State FIPS Code

**Definition:** This attribute represents the State Federal Information Processing Standard

(FIPS) code identifying the two numeric character string assigned by the National Institute of Standards and Technology (NIST) to states, the District

of Columbia, and U.S. territories.

Valid Values: Expected values are two character numeric text strings representing the

state or territory. The valid values are: XX; 01; 02; 04; 05; 06; 08; 09; 10; 11; 12; 13; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 44; 45; 46; 47; 48; 49; 50; 51; 53; 54;

55; 56; 60; 64; 66; 68; 69; 72; 70; 74; and 78. Cannot be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: National Institute of Standards and Technology (NIST)

**Update Frequency:** As Required

Column Name: STATE\_FIPS\_CD

Synonym Columns: STATE\_FIPS\_CD; StFips

HDW Data Type: char(2)

**User Friendly Names:** State FIPS Code; State Federal Information Processing Standard Code;

State FIPS



#### State Name

**Definition:** This attribute represents the state or territory name.

Valid Values: Expected values are alphabetic text strings representing the name of the

state or territory. The valid values are: Foreign Country; Not Available; Alabama; Alaska; American Samoa; Arizona; Arkansas; California; Colorado; Connecticut; Delaware; District of Columbia; Federated States of Micronesia; Florida; Georgia; Guam; Hawaii; Idaho; Illinois; Indiana; Iowa; Kansas; Kentucky; Louisiana; Maine; Marshall Islands; Maryland; Massachusetts; Michigan; Minnesota; Mississippi; Missouri; Montana; Nebraska; Nevada; New Hampshire; New Jersey; New Mexico; New York; North Carolina; North Dakota; Northern Mariana Islands; Ohio; Oklahoma; Oregon; Pennsylvania; Puerto Rico; Republic of Palau; Rhode Island; South Carolina; South Dakota; Tennessee; Texas; U.S. Minor Islands; U.S. Virgin Islands; Utah; Vermont; Virginia; Washington; West Virginia; Wisconsin; and Wyoming.

Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction:PublicBusiness Rule / Format:None.

Organization: National Institute of Standards and Technology (NIST)

Update Frequency: As Required
Column Name: STATE\_NM

Synonym Columns: STATE\_NM; StNM

**HDW Data Type:** varchar(50)

User Friendly Names: State Name; Component State; Site State; State; State Label

Update Date (Metadata): 04/21/2017



#### Data Warehouse Record Create Date

**Definition:** This attribute represents the date on which the data was processed by the

HRSA Data Warehouse.

Valid Values: Expected values are date time where the time is the midnight or the zero

hour. For example, 2013-10-15 00:00:00.000. Cannot be NULL.

**HDW Transformation:** (1) System date on which the data set was refreshed. (2) This attribute is a

common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data

mart refresh is a snapshot in time.

Data Restriction: Public

**Business Rule / Format:** 

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: DW\_RECORD\_CREATE\_DT

None.

Synonym Columns: DW\_RECORD\_CREATE\_DT; DwRecCrtDT

HDW Data Type: smalldatetime

User Friendly Names: Data Warehouse Record Create Date; SNAP; Snapshot; Snapshot Date



### County or County Equivalent Federal Information Processing Standard Code

**Definition:** This attribute represents the numeric character string assigned by the

National Institute of Standards and Technology to the counties and/or county

equivalents for the states, the District of Columbia, and U.S. territories.

Expected values are numeric text strings, exactly three digits in length. For

example, 010, Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

> marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. The Federal Information Processing Standards (FIPS) code for county and county

equivalent entities are unique to the U.S. state or U.S. territory to which it is

associated.

**Data Restriction: Public Business Rule / Format:** 

Valid Values:

Organization: National Institute of Standards and Technology (NIST); HRSA, Bureau of

Health Workforce (BHW), Division of Policy and Shortage Designation

(DPSD)

None.

**Update Frequency:** As Required

**Column Name:** COUNTY\_FIPS\_CD

**Synonym Columns:** COUNTY\_FIPS\_CD; CntFips

**HDW Data Type:** char(3)

County or County Equivalent Federal Information Processing Standard **User Friendly Names:** 

Code; County FIPS; County FIPS Code; CountyFIPS

04/21/2017 **Update Date (Metadata):** 



#### County Equivalent Name

**Definition:** This attribute represents the name of the county or county equivalent in

which the associated address is located, displayed as a text string.

Valid Values: Expected values are alphabetic text strings for county names. For example,

Not Determined; Prince William; Tinian; Western; Winchester City; Winn;

Wotje; Yakutat; Yap; Yauco; or Yukon-Koyukuk. Can be NULL.

**HDW Transformation:** (1) This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. (2) For the HRSA Data Warehouse locator tools this attribute is computed on demand and is associated with the spatial feature (to include being assigned no

value).

None.

Data Restriction: Public

**Business Rule / Format:** 

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: COUNTY\_NM

Synonym Columns: COUNTY\_NM; CntNM

**HDW Data Type:** varchar(50)

User Friendly Names: County Equivalent Name; County; County Equivalent; County Name; County

or County Equivalent; County or County Equivalent Name; County, County

Equivalent; Grantee County Name



#### U.S. - Mexico Border 100 Kilometer Indicator

**Definition:** This attribute represents the indication of whether any portion of the

geographic entity cited is within 100 kilometers of the U.S. - Mexico border. The HRSA Data Warehouse generates this value by performing a geoprocessing analysis against the 100 kilometer U.S. - Mexico border region as defined by the HRSA Office of Rural Health Policy, Border Health

Program.

Valid Values: Expected values are single character text strings. The valid values are: Y

and N. Can be NULL.

**HDW Transformation:** This value is determined by geospatial analysis, if the entity location (U.S.

entity) is determined to be within 100 Kilometers of the U.S. - Mexico border then Y (Yes), otherwise N (No). If the entity location cannot be determined

then N (No).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: US\_MEXICO\_BORDER\_100KM\_IND

Synonym Columns: US\_MEXICO\_BORDER\_100KM\_IND; UMBd100Ind

HDW Data Type: char(1)

User Friendly Names: U.S. - Mexico Border 100 Kilometer Indicator; La Paz Agreement; Primary

Care Service Area U.S. - Mexico Border Indicator; U.S. - Mexico Border 100

Kilometer Status Indicator



#### **HHS Region Name**

**Definition:** This attribute represents the formal name for the U.S. Department of Health

and Human Services (HHS) Region associated with the entity location or

address.

Valid Values: Expected values are alphabetic text strings formatted as "Region XXXX"

where the XXX is a valid roman numeral (I through X). The valid values are: Region I, Region II, Region III, Region IV, Region VI, Region VII, Region VII,

Region VIII, Region IX, Region X. Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. Department of Health and Human Services (HHS)

**Update Frequency:** As Required

Column Name: REGION\_NM

Synonym Columns: None.

**HDW Data Type:** varchar(50)

User Friendly Names: HHS Region Name; Component HHS Region; HHS Region; Region Name;

Site HHS Region



### State and County Federal Information Processing Standard Code

**Definition:** This attribute represents the State County Federal Information Processing

Standard (FIPS) Code.

Valid Values: Expected values are five digit numeric text strings. For example, 01001.

Cannot be NULL.

**HDW Transformation:** (1) Concatenation of the State Federal Information Processing Standard

(FIPS) code and the County Federal Information Processing Standard (FIPS) code. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: STATE\_COUNTY\_FIPS\_CD

Synonym Columns: STATE\_COUNTY\_FIPS\_CD; StCntFips

HDW Data Type: char(5)

User Friendly Names: State and County Federal Information Processing Standard Code; State

County FIPS Code



### **County Description**

**Definition:** This attribute represents the type of county or county equivalent (as listed in

Federal Information Processing Standard (FIPS) Pub 6-4 documentation) for

a county identified by a state and county FIPS code.

Valid Values: Expected values are character text strings. The valid values are: Borough;

Census Area; City; County; District; Island; Municipality; Municipio; Not

Determined; Parish; and State. Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: National Institute of Standards and Technology (NIST)

Update Frequency: As Required

Column Name: COUNTY\_DESC

Synonym Columns: None.

**HDW Data Type:** varchar(50)

User Friendly Names: County Description



### **HHS Region Code**

**Definition:** This attribute represents the U.S. Department of Health and Human Services

(HHS) Region code.

Valid Values: Expected values are two character numeric text strings representing the

region. The valid values are: 01, 02, 03, 04, 05, 06, 07, 08, 09, 10. Can be

NŬLL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. Department of Health and Human Services (HHS)

Update Frequency: As Required

Column Name: REGION\_CD

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: HHS Region Code; Region Code

Update Date (Metadata): 05/27/2016



#### State Abbreviation

**Definition:** This attribute represents the U.S. Postal Service (USPS) two alphabetic

character code for a U.S. state or U.S. territory associated with a location

where an entity is situated.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CA; CO; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Can be

NULL.

None.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

**Business Rule / Format:** 

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: STATE\_ABBR

Synonym Columns: STATE\_ABBR; StAbbr

HDW Data Type: char(2)

User Friendly Names: State Abbreviation; State Code; State\_Cd



#### U.S. - Mexico Border County Indicator

**Definition:** This attribute represents the indication of whether a county or a part of a

county is listed in U.S. counties that the U.S. - Mexico Border Health Commission has defined as comprising the Border Health Initiative zone. For counties in the contiguous U.S., this data element may differ from the value of the U.S. - Mexico Border 100 Kilometer Indicator due to the fact that three counties in Arizona fall partially within the defined 100-kilometer boundary area, but are not listed in the list of counties that the U.S. - Mexico Border

Health Commission identified as comprising the zone of interest.

Valid Values: Expected values are single character text strings. The valid values are: Y

and N. Can be NULL.

**HDW Transformation:** (1) For the HRSA Data Warehouse County Dimension table the value is Y

(Yes) for those counties in the list of counties identified by the U.S. - Mexico Border Health Commission, otherwise the value is N (No). (2) For data sets this value is determined by geospatial analysis, if the entity location (U.S. entity) is determined to be within a U.S. - Mexico Border Health Commission identified county then Y (Yes), otherwise N (No). If the entity location cannot

be determined then N (No).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Office of Rural Health Policy (ORHP), Border Health Program

**Update Frequency:** As Required

Column Name: US\_MEXICO\_BORDER\_COUNTY\_IND

Synonym Columns: US\_MEXICO\_BORDER\_COUNTY\_IND; UMBdCntInd

**HDW Data Type:** char(1)

U.S. - Mexico Border County Indicator; Primary Care Service Area U.S. -

Mexico Border County Indicator



#### Complete County Name

**Definition:** This attribute represents the proper county name associated with a specified

data element.

Valid Values: Expected values are alphabetic text strings for the proper county name. For

example, Not Determined; Hawaii County; Prince William County; Tinian Municipality; Western District; Winchester City; Winn Parish; Wotje; Yakutat Borough; Yap State; Yauco Municipio; or Yukon-Koyukuk Census Area. Can

be NULL.

**HDW Transformation:** (1) This attribute is formulated by concatenating the County Dimension table

element County Name with County Dimension table element County Description and processed to remove sequential duplicated words. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed.

Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: LIST\_BOX\_COUNTY\_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Complete County Name; County, County Name; County, County Name; List

Box County Name



#### Data Warehouse Record Create Date Text

**Definition:** This attribute represents the date on which the data was processed by the

HRSA Data Warehouse.

Valid Values: Expected values are text strings representing a date value in the format

yyyy/mm/dd. For example, 2014/01/10 or 2013/09/17. Cannot be NULL.

**HDW Transformation:** (1) System date on which the data set was refreshed converted to a

character string formatted as yyyy/mm/dd (four digit year slash two digit month slash two digit day). (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: DW\_RECORD\_CREATE\_DT\_TXT

Synonym Columns: DW\_RECORD\_CREATE\_DT\_TXT; DwRecCtDtT

HDW Data Type: varchar(25)

**User Friendly Names:** Data Warehouse Record Create Date Text; SNAP; Snapshot Date; Snapshot

Date String; Snapshot Date Text

Update Date (Metadata): 06/16/2017



### **Organ Procurement Organization Address**

**Definition:** This attribute represents the street address where the Organ Procurement

Organization (OPO) entity is physically located.

Valid Values: Expected values are text strings with the building numbers, street names,

and possibly suite numbers (with dashes, parenthesis, or other punctuation).

For example, "665 Opelika Rd Ste 100". Can be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_ADDRESS

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Organ Procurement Organization Address; Address; OPO Address



### **Organ Procurement Organization City**

**Definition:** This attribute represents the city where the Organ Procurement Organization

(OPO) entity is physically located.

Valid Values: Expected values are alphabetic text strings representing city names

formatted in title case. For example, Black River Falls; Kahului; or Stockton.

Can be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_CITY

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Organ Procurement Organization City; City; OPO City



#### Organ Procurement Organization Telephone Number

**Definition:** This attribute represents the main telephone number for the Organ

Procurement Organization (OPO).

Valid Values: Expected values are telephone numbers with a the HRSA Data Warehouse

standard format of 999-999-9999, x9999 (the x9999 represents the telephone extension). For example, 703-555-1212; 808-555-1212 x189; or

202-555-1212. Can be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse phone

number standardization process. All non-numeric characters are deleted.

Data Restriction: Public

Business Rule / Format: None.

**Organization:** HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_PHONE\_NUM

Synonym Columns: None.

**HDW Data Type:** varchar(25)

User Friendly Names: Organ Procurement Organization Telephone Number; OPO Telephone

Number; Phone; Phone Number; Telephone Number



### Organ Procurement Organization Name

**Definition:** This attribute represents the organization name for the Organ Procurement

Organization (OPO) entity.

Valid Values: Expected values are text strings containing the name of the organization. For

example, Alabama Organ Center; Indiana Organ Procurement Organization; New Jersey Organ and Tissue Sharing Network OPO; or Wisconsin Donor

Network. Cannot be NULL.

**HDW Transformation:** None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_PROVIDER\_NM

Synonym Columns: None.

**HDW Data Type:** varchar(100)

User Friendly Names: Organ Procurement Organization Name; Name; OPO Name; OPO Org.

Name; Org. Name



### Organ Procurement Organization Provider Number

**Definition:** This attribute represents the organization identifying provider number the

Organ Procurement Organization (OPO) entity.

Valid Values: Expected values are alphanumeric strings containing formatted as ##P###.

For example, 01P001; 11P002; 25P001; or 52P002. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_PROVIDER\_NUM

Synonym Columns: None.

**HDW Data Type:** varchar(10)

**User Friendly Names:** Organ Procurement Organization Provider Number; OPO Provider Number;

Provider Number



### Organ Procurement Organization State Abbreviation

**Definition:** This attribute represents the state abbreviation of the state where the Organ

Procurement Organization (OPO) entity is physically located.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CA; CO; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Cannot

be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

**Organization:** HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_STATE\_ABBR

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: Organ Procurement Organization State Abbreviation; OPO State

Abbreviation; State Abbreviation; State Code; State\_Cd; U.S. Postal Service

State Code



### Organ Procurement Organization Postal Code

**Definition:** This attribute represents the postal code where the Organ Procurement

Organization (OPO) entity is physically located. For the purposes of the HRSA Data Warehouse this value is a U.S. Postal Service (USPS) Zone

Improvement Plan (ZIP) code.

Valid Values: Expected values are 5 or 10 character numeric text strings in the HRSA Data

Warehouse postal code format (either #####-#### or #####). For example,

20852 or 96780-1357. Can be NULL.

**HDW Transformation:** (1) HRSA Data Warehouse (HDW) address data are standardized to provide

a mechanism for obtaining the best estimate for the five or nine digit U.S. Postal Service Zone Improvement Plan (ZIP) Code for the input address. (2) The source address components are assumed to be correct and no

validation steps are performed. (3) The HDW uses an automated process to standardize addresses using the source address components associated with the source entity record to provide the best address for reporting and geoprocessing. (4) If the address cannot be geoprocessed the non-

standardized source address is returned.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

Update Frequency: Semi-annually
Column Name: OPO ZIP CD

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Organ Procurement Organization Postal Code; OPO ZIP Code; Organ

Procurement Organization ZIP Code; ZIP Code



### Organ Procurement Organization State Name

**Definition:** This attribute represents the state or territory name where the Organ

Procurement Organization (OPO) entity is physically located.

Valid Values: Expected values are alphabetic text strings representing the name of the

state or territory. The valid values are: Foreign Country; Not Available; Alabama; Alaska; American Samoa; Arizona; Arkansas; California; Colorado; Connecticut; Delaware; District of Columbia; Federated States of Micronesia; Florida; Georgia; Guam; Hawaii; Idaho; Illinois; Indiana; Iowa; Kansas; Kentucky; Louisiana; Maine; Marshall Islands; Maryland; Massachusetts; Michigan; Minnesota; Mississippi; Missouri; Montana; Nebraska; Nevada; New Hampshire; New Jersey; New Mexico; New York; North Carolina; North Dakota; Northern Mariana Islands; Ohio; Oklahoma; Oregon; Pennsylvania; Puerto Rico; Republic of Palau; Rhode Island; South Carolina; South Dakota; Tennessee; Texas; U.S. Minor Islands; U.S. Virgin Islands; Utah; Vermont; Virginia; Washington; West Virginia; Wisconsin; and Wyoming.

Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_STATE\_NM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Organ Procurement Organization State Name; OPO State; State; State

Name



#### **OTC Address**

**Definition:** This attribute represents the street address where the Organ Transplant

Center (OTC) entity is physically located.

Valid Values: Expected values are text strings with the building numbers, street names,

and possibly suite numbers (with dashes, parenthesis, or other punctuation).

For example, "665 Opelika Rd Ste 100". Can be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_ADDRESS

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: OTC Address; Address; Organ Transplantation Center Address



#### **OTC Code**

**Definition:** This attribute represents the four-letter code that uniquely identifies an

Organ Transplantation Center (OTC).

Valid Values: Expected values are alphabetic strings of exactly four characters. For

example, ALCH; PRCC; UTLD; or WVCA. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: The Organ Transplantation Center code is created by concatenating the

state abbreviation in which the center is located and a two-letter code unique

within that state.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_CD

Synonym Columns: None.

HDW Data Type: varchar(10)

**User Friendly Names:** OTC Code; Organ Transplantation Center Code



**OTC City** 

**Definition:** This attribute represents the city where the Organ Transplant Center (OTC)

entity is physically located.

Valid Values: Expected values are alphabetic text strings representing city names

formatted in title case. For example, Black River Falls; Kahului; or Stockton.

Can be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_CITY

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: OTC City; Organ Transplantation Center City



#### **OTC Name**

**Definition:** This attribute represents the name of an Organ Transplantation Center

(OTC) entity.

Valid Values: Expected values are text strings containing the name of the organization. For

example, Abbott Northwestern Hospital; University of Virginia Health

Sciences Center; Inova Fairfax Hospital; or University of Wisconsin Hospital

and Clinics. Cannot be NULL.

**HDW Transformation:** None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: OTC Name; Name; Organ Transplantation Center Name



### Organ Transplantation Center Telephone Number

**Definition:** This attribute represents the telephone number for an Organ Transplantation

Center.

Valid Values: Expected values are telephone numbers with a the HRSA Data Warehouse

standard format of 999-999-9999, x9999 (the x9999 represents the telephone extension) or the string "Not Available". For example, 703-555-

1212; 808-555-1212 x189; or 202-555-1212. Cannot be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse phone

number standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_PHONE\_NUM

Synonym Columns: None.

**HDW Data Type:** varchar(25)

**User Friendly Names:** Organ Transplantation Center Telephone Number; OTC Telephone Number;

Phone; Telephone

Update Date (Metadata): 08/31/2016



### Organ Transplantation Center Service Type Description

**Definition:** This attribute represents the service type provided by an Organ Transplant

Center (OTC).

Valid Values: Expected values are title case, alphabetic text strings. The valid values are:

Heart; Heart Lung; Intestine; Kidney; Liver; Lung; Pancreas; and Pancreas

Islet. Cannot be NULL.

**HDW Transformation:** None, this is addressed through Organ Transplantation Center Service Type

Identification Number, surrogate key, processing (OTC\_SERVICE\_TYP\_ID)

by the HRSA Data Warehouse.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_SERVICE\_TYP\_DESC

Synonym Columns: None.

**HDW Data Type:** varchar(50)

**User Friendly Names:** Organ Transplantation Center Service Type Description; Organ Transplant

Program (OTP); OTC Service Type Description; Service Type; Service Type

Description



### Organ Transplantation Center Type

**Definition:** This attribute represents the three-character code that indicates whether a

given Organ Transplantation Center is affiliated with the U.S. Department of

Veterans Affairs (VA) or is open to the public.

Valid Values: Expected values are upper case, alphanumeric text strings which are exactly

threee characters in length. The valid values are: TX1 and VA1. Cannot be

NULL.

**HDW Transformation:** None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_TYP

Synonym Columns: None.

HDW Data Type: varchar(10)

**User Friendly Names:** Organ Transplantation Center Type; OTC Type



#### **ZIP Code**

**Definition:** This attribute represents the postal code for the location where the Organ

Transplant Center (OTC) entity is physically situated.

Valid Values: Expected values are 5 or 10 character numeric text strings in the HRSA Data

Warehouse postal code format (either ########### or #####). For example,

20852 or 96780-1357. Can be NULL.

HDW Transformation: (1) HRSA Data Warehouse (HDW) address data are standardized to provide

a mechanism for obtaining the best estimate for the five or nine digit Zone Improvement Plan (ZIP) Code for the input address. (2) The source address

components are assumed to be correct and no validation steps are performed. (3) The HDW uses an automated process to standardize

addresses using the source address components associated with the source entity record to provide the best address for reporting and geoprocessing. (4) If the address cannot be geoprocessed the non-standardized source address

is returned.

Data Restriction: Public

Business Rule / Format: None.

**Organization:** HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

Update Frequency: Semi-annually
Column Name: OTC\_ZIP\_CD

Synonym Columns: None.

**HDW Data Type:** varchar(10)

User Friendly Names: ZIP Code; Organ Transplantation Center ZIP Code; OTC ZIP Code

Update Date (Metadata): 08/31/2016



### Organ Procurement Organization URL

**Definition:** This attribute represents the World Wide Web address for the Organ

Procurement Organization (OPO) entity.

Valid Values: Expected values are alphanumeric text strings which include special and

punctuation characters for web sites, generally a HTTP URL consists of the following: scheme name (commonly called protocol), a colon, two slashes, a host (normally given as a domain name but sometimes as a literal IP address), optionally a port number, and full path of the resource. For example, http://en.wikipedia.org/wiki/Uniform\_resource\_locator. Cannot be

NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

**Organization:** HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OPO\_URL

Synonym Columns: None.

HDW Data Type: varchar(200)

User Friendly Names: Organ Procurement Organization URL; Internet Address; OPO Website

Address; OPO Website Address Hyperlink; Website; Website Address

Update Date (Metadata): 08/31/2016



### Organ Transplantation Center URL

**Definition:** This attribute represents the World Wide Web address for the Organ

Transplant Center (OTC) entity.

Valid Values: Expected values are alphanumeric text strings which include special and

punctuation characters for web sites, generally a HTTP URL consists of the following: scheme name (commonly called protocol), a colon, two slashes, a host (normally given as a domain name but sometimes as a literal IP

host (normally given as a domain name but sometimes as a literal IP address), optionally a port number, and full path of the resource. For example, http://en.wikipedia.org/wiki/Uniform\_resource\_locator. Can be

NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_URL

Synonym Columns: None.

HDW Data Type: varchar(200)

**User Friendly Names:** Organ Transplantation Center URL; Internet Address; OTC Website

Address; OTC Website Address Hyperlink; Website; Website Address



### Geocoding Artifact Address Primary X Coordinate

**Definition:** This attribute represents the primary longitude in decimal degrees (x

coordinate) of an entity based on its address.

Valid Values: Expected values are negative numbers with eight decimals of precision. For

example, -178.30602700 or -66.94988200. Can be NULL.

**HDW Transformation:** (1) Standard Processing for Most Data Sets: This value is assigned based on

geoprocessing using the standard HRSA Data Warehouse (HDW) address

standardization and processing rules. When an address cannot be geocoded, the value is set to NULL. The accuracy of a match returned by a

search depends on the amount and quality of the address information submitted. For further information about match accuracy, please refer to the

Esri ArcGIS Resources, ArcGIS REST API at the http://resources.arcgis.com/en/help/arcgis%2Drest

%2Dapi/index.html#//02r300000017000000 web page. (2) Health Professional Shortage Area (HPSA) Data Set: There are some HPSA facilities for which this value is provided directly by the source data system (no transformation). (3) This attribute is a common attribute that is part of multiple data marts and entities. At the time of a data mart refresh, this attribute is a snapshot of the current state of the data and is not refreshed until the next refresh of the data mart. Each data mart refresh is a snapshot

in time.

Esri

Data Restriction: Public

Business Rule / Format: None.

Update Frequency: As Required

Column Name: X

Organization:

Synonym Columns: None.

**HDW Data Type:** numeric(38,8)

**User Friendly Names:** Geocoding Artifact Address Primary X Coordinate; Address Primary X

Coordinate; Latitude; Longitude; Organ Transplantation Center Longitude

Update Date (Metadata): 06/05/2017



### Geocoding Artifact Address Primary Y Coordinate

**Definition:** This attribute represents the primary latitude in decimal degrees (y

coordinate) of an entity based on its address.

Valid Values: Expected values are positive numbers with eight decimals of precision. For

example, 18.91747300 or 71.32993600. Can be NULL.

**HDW Transformation:** (1) Standard Processing for Most Data Sets: This value is assigned based on

geoprocessing using the standard HRSA Data Warehouse (HDW) address

standardization and processing rules. When an address cannot be

geocoded, the value is set to NULL. The accuracy of a match returned by a search depends on the amount and quality of the address information submitted. For further information about match accuracy, please refer to the

Esri ArcGIS Resources, ArcGIS REST API at the http://resources.arcgis.com/en/help/arcgis%2Drest

%2Dapi/index.html#//02r300000017000000 web page. (2) Health Professional Shortage Area (HPSA) Data Set: There are some HPSA facilities for which this value is provided directly by the source data system (no transformation). (3) This attribute is a common attribute that is part of multiple data marts and entities. At the time of a data mart refresh, this attribute is a snapshot of the current state of the data and is not refreshed until the next refresh of the data mart. Each data mart refresh is a snapshot

in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: Esri

Update Frequency: As Required

Column Name: Y

Synonym Columns: None.

**HDW Data Type:** numeric(38,8)

**User Friendly Names:** Geocoding Artifact Address Primary Y Coordinate; Address Primary Y

Coordinate; Latitude; Longitude; Organ Transplantation Center Latitude

Update Date (Metadata): 06/05/2017



#### **OTC Service List**

**Definition:** This attribute represents the list of services available at the given Organ

Transplantation Center (OTC).

Valid Values: Expected values are alphabetic text strings representing the comma

delimited list of transplant service names (the list can have one to eight service components and the valid service names are: Heart; Heart Lung; Intestine; Kidney; Liver; Lung; Pancreas; and Pancreas Islet). For example, "Heart" or "Heart, Heart Lung, Intestine, Kidney, Liver, Lung, Pancreas,

Pancreas Islet". Cannot be NULL.

**HDW Transformation:** For each Organ Transplantation Center the associated service type names

are collected in a comma separated list of sorted alphabetically.

Data Restriction: Public

Business Rule / Format: None.

**Organization:** HRSA, Healthcare Systems Bureau (HSB), Division of Transplantation;

Organ Procurement and Transplantation Network (OPTN)

**Update Frequency:** Semi-annually

Column Name: OTC\_SERVICE\_LIST

Synonym Columns: None.

HDW Data Type: varchar(200)

User Friendly Names: OTC Service List; Organ Transplantation Center Service List



### Common County Name with State Abbreviation

**Definition:** This attribute represents the HRSA Data Warehouse (HDW) concatenation

of the complete county name and the state abbreviation.

Valid Values: Expected values are text strings for county name, comma, and state

abbreviation. For example, Fairfax County, VA; Honolulu County, HI; Winn

Parish, LA; or Yauco Municipio, PR. Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. The value is the concatenation of the county proper name, a comma, a space, and the

state abbreviation.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN\_COUNTY\_NM\_STATE\_ABBR

Synonym Columns: CMN\_COUNTY\_NM\_STATE\_ABBR; CCntStAbbr

HDW Data Type: varchar(100)

**User Friendly Names:** Common County Name with State Abbreviation; Common County Name;

County; County Name



### **Common Region Name**

**Definition:** This attribute represents the formal name for the U.S. Department of Health

and Human Services (HHS) region associated with the entity location or

address.

Valid Values: Expected values are alphabetic text strings formatted as "Region XXXX"

where the XXX is a valid roman numeral (I through X). The valid values are: Region I; Region II; Region III; Region IV; Region V; Region VI; Region VII;

Region VIII; Region IX; and Region X. Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

**Business Rule / Format:** 

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN\_REGION\_NM

Synonym Columns: CMN\_REGION\_NM; CRegNM

None.

**HDW Data Type:** varchar(50)

User Friendly Names: Common Region Name; Common HHS Region Name; HHS Region; HHS

Region Name; Region Name

Update Date (Metadata): 04/21/2017



### Common Region Code

**Definition:** This attribute represents the U.S. Department of Health and Human Services

(HHS) region code.

Valid Values: Expected values are two character numeric text strings representing the

region. The valid values are: 01; 02; 03; 04; 05; 06; 07; 08; 09; and 10. Can

be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN\_REGION\_CD

Synonym Columns: CMN\_REGION\_CD; CRegCD

HDW Data Type: char(2)

User Friendly Names: Common Region Code; Common HHS Region Code; HHS Region Code



#### Common State Abbreviation

**Definition:** This attribute represents the U.S. Postal Service (USPS) two alphabetic

character code for a U.S. state or U.S. territory associated with a location

where an entity is situated.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CÅ; CÓ; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Can be

NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: CMN\_STATE\_ABBR

**Synonym Columns:** CMN\_STATE\_ABBR; CStAbbr

HDW Data Type: char(2)

User Friendly Names: Common State Abbreviation; Common State Name; State Abbreviation



### Common State County FIPS Code

**Definition:** This attribute represents the concatenated Federal Information Processing

Standard (FIPS) state and county codes.

Valid Values: Expected values are five digit numeric text strings. For example, 01001.

Cannot be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN\_STATE\_COUNTY\_FIPS\_CD

Synonym Columns: CMN\_STATE\_COUNTY\_FIPS\_CD; CStCntFips

**HDW Data Type:** varchar(5)

User Friendly Names: Common State County FIPS Code; State County FIPS Code



#### Common State FIPS Code

**Definition:** This attribute represents the State Federal Information Processing Standard

(FIPS) code identifying the two numeric character string assigned by the National Institute of Standards and Technology (NIST) to states, the District

of Columbia, and U.S. territories.

Valid Values: Expected values are two character numeric text strings representing the

state or territory. The valid values are: XX; 01; 02; 04; 05; 06; 08; 09; 10; 11; 12; 13; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 44; 45; 46; 47; 48; 49; 50; 51; 53; 54;

55; 56; 60; 64; 66; 68; 69; 72; 70; 74; and 78. Cannot be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: CMN\_STATE\_FIPS\_CD

Synonym Columns: CMN\_STATE\_FIPS\_CD; CStFips

HDW Data Type: char(2)

User Friendly Names: Common State FIPS Code; State FIPS Code



#### Common State Name

**Definition:** This attribute represents the state or territory name.

Valid Values: Expected values are alphabetic text strings representing the name of the

state or territory. The valid values are: Foreign Country: Not Available; Alabama; Alaska; American Samoa; Arizona; Arkansas; California; Colorado; Connecticut; Delaware; District of Columbia; Federated States of Micronesia; Florida; Georgia; Guam; Hawaii; Idaho; Illinois; Indiana; Iowa; Kansas; Kentucky; Louisiana; Maine; Marshall Islands; Maryland; Massachusetts; Michigan; Minnesota; Mississippi; Missouri; Montana; Nebraska; Nevada; New Hampshire; New Jersey; New Mexico; New York; North Carolina; North Dakota; Northern Mariana Islands; Ohio; Oklahoma; Oregon; Pennsylvania; Puerto Rico; Republic of Palau; Rhode Island; South Carolina; South Dakota; Tennessee; Texas; U.S. Minor Islands; U.S. Virgin Islands; Utah; Vermont; Virginia; Washington; West Virginia; Wisconsin; and Wyoming.

Can be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN\_STATE\_NM

Synonym Columns: CMN\_STATE\_NM; CStNM

**HDW Data Type:** varchar(50)

User Friendly Names: Common State Name; State; State Name



#### Common ZIP Code

**Definition:** This attribute represents the postal code associated with an entity address.

For the purposes of the HRSA Data Warehouse this value is normally a five character U.S. Postal Service (USPS) Zone Improvement Plan (ZIP) Code.

Valid Values: Expected values are five character numeric text strings in the HRSA Data

Warehouse postal code format (####). For example, 20852 or 96780. Can

be NULL.

**HDW Transformation:** This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: CMN\_ZIP\_CD

Synonym Columns: CMN\_ZIP\_CD; CZipCD

**HDW Data Type:** varchar(5)

User Friendly Names: Common ZIP Code; Common Postal Code; ZIP Code

Update Date (Metadata): 04/21/2017



### Common City Name with State Abbreviation

**Definition:** This attribute represents the city name in which the entity is physically

located.

Valid Values: Expected values are city names formatted in mixed case. For example,

Birmingham. Cannot be NULL.

**HDW Transformation:** Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN\_CITY\_NM

Synonym Columns: CMN\_CITY\_NM; CCityNM

**HDW Data Type:** varchar(50)

User Friendly Names: Common City Name with State Abbreviation; Common City Name



#### Common Congressional District Name

**Definition:** This attribute represents the name of the U.S. Congressional District.

Valid Values: Expected values are text strings for Congressional District names. For

example, Alabama District 03. Can be NULL.

**HDW Transformation:** (1) For states with two or more representatives in the U.S. House of

Representatives, the Congressional District Name is created by concatenating the state name, the word "District", and the applicable Congressional District number. (2) For states with a single representative in the U.S. House of Representatives, the Congressional District Name is created by concatenating the state name and the words "At Large". (3) For the District of Columbia where there is special representation in the U.S. House of Representatives, the Congressional District Name is "District of Columbia Delegate". (4) For the U.S. territories where there is special representation in the U.S. House of Representatives, the Congressional District Name is created by concatenating the territory name and either the words "Delegate" or "Resident Commissioner" as appropriate. (5) For the

territories where there is no representation in the U.S. House of Representatives the Congressional District Name is only the text "(No Congressional Representation)". (6) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

**Organization:** U.S. House of Representatives

**Update Frequency:** As Required

Column Name: CMN\_CONG\_DIST\_NM

Synonym Columns: None.

**HDW Data Type:** varchar(50)

User Friendly Names: Common Congressional District Name; Congressional District;

Congressional District Name

Update Date (Metadata): 05/01/2016



### **Common Congress Number Text**

**Definition:** This attribute represents the textual expression of the sequential number

used to identify a specific session of Congress.

Valid Values: Expected values are integers less than or equal to the number associated

with the currently seated Congress. For example, 106; 109; 110; or 113. Can

be NULL.

**HDW Transformation:** (1) This attribute identifies the specific legal or administrative geographic

area to which the entity (record) is located or associated. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. (3) Identifies the congress which was

in session at the time when the program office data was refreshed.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. House of Representatives

**Update Frequency:** As Required

Column Name: CMN\_CONG\_NUM

Synonym Columns: None.

HDW Data Type: char(3)

User Friendly Names: Common Congress Number Text; Congress Number

Update Date (Metadata): 05/01/2016



### Common State FIPS Code Congressional District Number

**Definition:** This attribute represents the concatenation of the State Federal Information

Processing Standard (FIPS) and Congressional District Number Code in

which the entity is located.

Valid Values: Expected values are four digit numeric text strings with leading zeros. For

example, 0643. Can be NULL.

**HDW Transformation**: (1) This attribute identifies the specific legal or administrative geographic

area to which the entity (record) is located or associated. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each

data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

**Update Frequency:** As Required

Column Name: CMN\_STATE\_FIPS\_CONG\_DIST\_NUM

Synonym Columns: None.

**HDW Data Type:** varchar(4)

User Friendly Names: Common State FIPS Code Congressional District Number; State FIPS Code

Congressional District Number

Update Date (Metadata): 05/01/2016